Page 1 of 4 MSDS # 110412001

## **OUST\* AEROSOL - OUTDOOR**

Date Issued: 17Jun2004		Supersedes: New		
US MANUFACTURER: S.C. Johnson & Son, Inc Phone: (800) 725-6737 Racine, Wisconsin 5340 Emergency Phone: (888) International Emergency (262)	3-2236 779-7920	CANADIAN MANUFACTURER: S.C. Johnson and Son, Limited Phone: (800) 725-6737 1 Webster Street Brantford, Ontario N3T 5R1 Transportation Emergency: CANUTEC (collect) (613) 996-6666 Poison Control: (888) 779-7920		
HAZARD RATING H	MIS HAZARD NFPA	DISTRIBUTED IN CANADA BY:		
4-Very High 3-High 2-Moderate	2 Health 2 4 Flammability 4 0 Reactivity 0 Special	- S.C. Johnson and Son, Limited Phone: (800) 725-6737 1 Webster Street Brantford, Ontario N3T 5R1		
SECTION 1 - PRODUCT IDENTIFICATION				
PRODUCT NAME OUST* AEROSOL - OUTDOOR REASON FOR CHANGE New. PRODUCT USE Household: Sanitizer				
SECTION 2 - INGREDIENT INFORMATION				
INGRE	EDIENT	WEIGHT% EXPOSURE LIMIT/TOXICITY		
Triethylene glycol				
SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)				
ROUTE(S) OF ENTRY EFFECTS OF ACUTE EXPOSUR	RE:			
EYE	May cause: Moderate e None known.	ye irritation.		
INHALATIONINGESTIONMEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE	May cause: Abdominal Individuals with chro	to nose, throat and respiratory tract. discomfort. nic respiratory disorders such as asthma, mphysema, etc., may be more susceptible to		
SECTION 4 - FIRST AID MEASURES				
EYE CONTACT	Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention.			
SKIN CONTACTINHALATION	No special requirements.			
INGESTION		glasses of water or milk. Seek immediate		
SECTION 5 - FIRE AND EXPLOSION INFORMATION				
FLASH POINT				

Page 2 of 4 MSDS # 110412001

#### **OUST\* AEROSOL - OUTDOOR**

Date Issued: 17Jun2004 Supersedes: New

----- SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----FLAMMABLE LIMITS..... Not available. AUTOIGNITION..... Not available. TEMPERATURE EXTINGUISHING MEDIA.... Foam. CO2. Dry chemical. Water fog. SPECIAL FIREFIGHTING... Normal fire fighting procedure may be used. Fight fire from PROCEDURES maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. UNUSUAL FIRE AND..... Aerosol product - Containers may rocket or explode in heat of EXPLOSION HAZARDS fire. ----- SECTION 6 - PREVENTIVE RELEASE MEASURES -----STEPS TO BE TAKEN IN... Eliminate all ignition sources. Rinse affected area thoroughly CASE MATERIAL IS with water. RELEASED OR SPILLED ------ SECTION 7 - HANDLING AND STORAGE -----PRECAUTIONARY..... WARNING: Do not store at temperatures above 120 °F (50 °C). INFORMATION CONTENTS UNDER PRESSURE. Avoid contact with eyes. Keep out of reach of children. Avoid contact with food or drink. OTHER HANDLING AND..... Do not pressurize, cut, heat, weld or expose container to flame; explosion could occur. Wash thoroughly after handling. Keep from STORAGE CONDITIONS freezing. Keep out of reach of children. ----- SECTION 8 - SPECIAL PROTECTION INFORMATION -----RESPIRATORY PROTECTION. No special requirements under normal use conditions. VENTILATION..... General room ventilation adequate. PROTECTIVE GLOVES..... No special requirements under normal use conditions. EYE PROTECTION...... No special requirements under normal use conditions. OTHER PROTECTIVE..... No special requirements. **MEASURES** ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----COLOR..... Clear Colorless PRODUCT STATE..... Dispensed as a spray mist. ODOR..... Fresh pH..... Not available. ODOR THRESHOLD..... Not available. SOLUBILITY IN WATER.... Dispersible SPECIFIC GRAVITY..... 0.72 (H2O=1)VAPOR DENSITY (AIR=1).. Not available. EVAPORATION RATE (BUTYL Not applicable. ACETATE=1)VAPOR PRESSURE (mm HG). Not available.

WATER/OIL

PERCENT VOLATILE BY.... > 95

BOILING POINT..... Not available. FREEZING POINT..... Not available. COEFFICIENT OF..... Not available.

VOLUME (%)

# **OUST\* AEROSOL - OUTDOOR**

Date Issued: 17Jun2004	Supersedes: New		
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued)			
VOLATILE ORGANIC COMPOUND (VOC)	Hydrocarbon Propellant. Ethanol.		
THEORETICAL VOC (LB/GAL)	Not available.		
SECTION 10 -	STABILITY AND REACTIVITY		
STABILITY	Stable		
STABILITY - CONDITIONS. TO AVOID			
	None known. When exposed to fire: Produces normal products of combustion.		
PRODUCTS HAZARDOUS POLYMERIZATION	Will not occur.		
HAZARDOUS POLYMERIZATION - CONDITIONS TO AVOID	None known.		
SECTION 11 - '	TOXICOLOGY INFORMATION (Also See Section 3)		
LD50 (ACUTE ORAL TOX)	Not available.		
LD50 (ACUTE DERMAL TOX)			
LC50 (ACUTE INHALATION. TOX)	Not available.		
EFFECTS OF CHRONIC EXPOSURE	None known.		
SENSITIZATION	None known.		
CARCINOGENICITY			
REPRODUCTIVE TOXICITY			
MUTAGENICITY			
SECTION 12 - ECOLOGICAL INFORMATION			
ENVIRONMENTAL DATA	Not available.		
SECTION 13 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL	If possible, recycle empty aerosol can to nearest steel recycling center. Use up package or give to someone who can.		
SECTION 14 - 7	TRANSPORTATION INFORMATION		
US DOT INFORMATION	Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.		
CANADIAN SHIPPING NAME.	OUST* AEROSOL - OUTDOOR		
TDG CLASSIFICATION			
PACKING GROUP			
EXEMPTION NAME	Not applicable.		
SECTION 15 - REGULATORY INFORMATION			
WHMIS CLASSIFICATION	Not applicable.		

#### MATERIAL SAFETY DATA SHEET

Page 4 of 4 MSDS # 110412001

### **OUST\* AEROSOL - OUTDOOR**

Date Issued: 17Jun2004	Supersedes: New	
SECTION 15 - I	REGULATORY INFORMATION (continued)	
All ingredients of this p Substances Control Act (T	product are listed or are excluded from listing on the U.S. Toxic (SCA) Chemical Substance Inventory.	
All ingredients in this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).		
	oct to the reporting requirements under California's Proposition 65.	
	NFPA 30B Level 3 Aerosol.	
PREPARATION	INFORMATION	
PREPARED BY	Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information.	

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

\*This is a trademark of S.C. Johnson & Son, Inc.

PRINT DATE: 17Jun2004